

Substitute for form 1449A/PTO Complete if Known INFORMATION DISCLOSURE 09/945554 **Application Number** STATEMENT BY APPLICANT (Use as many sheets as mecassary) Filing Dat August 30, 2001 **First Named Inventor** Forbes, Leonard MAR 1 8 2903 **Group Art Unit** 2826 Dickey, Thomas **Examiner Name** Attorney Docket No: 1303.028US1 Sheet 1 of 5

| | | US PA | ATENT DOCUMENT | S | | |
|-----------------------|------------------------|------------------|--|-------|----------|-------------------------------|
| Examiner Initial * | USP Document Number | Publication Date | Name of Patentee or Applicant of cited Document | Class | Subclass | Filing Date If Appropriate |
| カ | US- 2001/0013621 | 08/01/2001 | Kazuo, Nakazato | 257 | 314 | 12/08/2000 |
| TV | US- 2002/0106536 | 08/08/2002 | Lee, Jongho , et al. | 428 | 702 | 02/02/2001 |
| 7 | US- 2002/0137250 | 09/26/2002 | Nguyen, B., et al. | 438 | 53 | 03/15/2002 |
| TU | US-4,412,902 | 11/01/1983 | Michikami, Osamu, et al. | 204 | 192 | 06/18/1982 |
| Th | US-4,757,360 | 07/12/1988 | Faraone, Lorenzo, et al. | 257 | 317 | 07/06/1983 |
| ブレ | US-4,780,424 | 10/25/1988 | Holler, M. | 437 | 29 | 09/28/1987 |
| ア | US-5,691,230 | 11/25/1997 | Forbes, L. | | | |
| TO | US-5,042,011 | 08/20/1991 | Casper, Stephen L., et al. | 365 | 205 | 05/22/1989 |
| 77 | US-5,071,782 | 12/10/1991 | Mori, Kiyoshi | 437 | 48 | 06/28/1990 |
| Ty | US-5,073,519 | 12/01/1991 | Rodder, Mark | 438 | 269 | |
| 70 | US-5,280,205 | 06/18/1994 | Green, Robert S., et al. | 307 | 530 | 04/16/1992 |
| 00 | US-5,350,738 | 09/27/1994 | Hase, Takashi, et al. | 505 | 473 | 11/27/1992 |
| TO | US-5,399,516 | 03/21/1995 | Bergendahl, A, et al. | 437 | 43 | 09/21/1992 |
| 70 | US-5,497,494 | 03/05/1996 | Combs, J, et al. | 395 | 750 | 07/23/1993 |
| JU | US-5,498,558 | 03/12/1996 | Kapoor, A | 437 | 43 | 05/06/1994 |
| TO | US-5,508,544 | 04/16/1996 | Shah, P. L. | 257 | 316 | 09/27/1994 |
| מז | US-5,600,592 | 02/04/1997 | Atsumi, S., et al. | 365 | 185.18 | 05/08/1995 |
| 70 | US-5,618,575 | 04/08/1997 | Peter, Gunter | 427 | 8 | 04/21/1995 |
| 77) | US-5,619,642 | 04/08/1997 | Nielsen, M, et al. | 395 | 182.04 | 12/23/1994 |
| 70 | US-5,627,785 | 05/06/1997 | Gilliam, Gary R., et al. | 365 | 189.01 | 03/15/1996 |
| TO | US-5,677,867 | 10/14/1997 | Hazani, E. | 365 | 185 | 06/30/1995 |
| 70 | US-5,691,230 | 11/25/1997 | Forbes, L. | 437 | 62 | 09/04/1996 |
| 76 | US-5,801,401 | 09/01/1998 | Forbes, L. | 257 | 77 | 01/29/1997 |
| 70 | US-5,852,306 | 12/22/1998 | Forbes, Leonard | 257 | 315 | 01/29/1997 |
| フカ | US-5,880,991 | 03/09/1999 | Hsu, L, et al. | 365 | 182 | 04/14/1997 |
| TO | US-5,923,056 | 07/13/1999 | Lee, Woo-Hyeong, et al. | 257 | 192 | 03/12/1998 |
| שד | US-5,936,274 | 08/10/1999 | Forbes, L., et al. | 257 | 315 | 07/08/1997 |
| 50 | US-5,981,350 | 11/09/1999 | Geusic, J. E., et al. | 438 | 386 | 05/29/1998 |
| Q | US-5,991,225 | 11/23/1999 | Forbes, L., et al. | 365 | 230.06 | 02/27/1998 |
| 10 | US-6,025,228 | 02/15/2000 | Ibok, E., et al. | 438 | 261 | 11/25/1997 |
| JO | US-6,025,627 | 02/15/2000 | Forbes, L., et al. | 257 | 321 | 05/29/1998 |

EXAMINER ODE

DATE CONSIDERED

4/2/03

PTO/SB/08A(10-01)
Approved for use through 10/31/2002. OMB 651-0031
US Patent & Trademark Office: US. DEPARTMENT OF COMMERCE
to a disformation unless it broadless a visid CMB control number.

| Substitute for form 1449A/PTO | Under the Paperwork Reduction Act of 1995, no persons are Complete if Known | required to respond to a collection of information unless it contains a valid OMB control number. |
|--|---|---|
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | Application Number | 09/945554 |
| (Use as many sheets as necessary). | Filing Dat | August 30, 2001 |
| | First Named Inventor | Forbes, Leonard |
| MAR 1 8 2003 1 | Group Art Unit | 2826 |
| The state of the s | Examiner Name | Dickey, Thomas |
| Sheet 2 of 5 | Attorney Docket No: 1 | 303.028US1 |

| Vb | US-6,031,263 | 02/29/2000 | Forbes, L., et al. | 257 | 315 | 07/29/1997 |
|-----|--------------|------------|--------------------------|-----|--------|------------|
| 73 | US-6,069,380 | 05/01/2000 | Chou, , et al. | 257 | 315 | |
| 74 | US-6,124,729 | 09/26/2000 | Noble, W. P., et al. | 326 | 41 | 02/27/1998 |
| 10 | US-6,134,175 | 10/17/2000 | Forbes, L., et al. | 365 | 230.06 | 08/04/1998 |
| ガ | US-6,135,175 | 10/24/2000 | Gaudreault, P., et al. | 144 | 4.1 | 10/19/1998 |
| סד | US-6,141,238 | 10/31/2000 | Forbes, L., et al. | 365 | 145 | 08/30/1999 |
| 70) | US-6,143,636 | 11/07/2000 | Forbes, L., et al. | 438 | 587 | 08/20/1998 |
| 74 | US-6,163,049 | 12/19/2000 | Bui, N. D. | 257 | 321 | 10/13/1998 |
| 73 | US-6,208,164 | 03/27/2001 | Noble, W. P., et al. | 326 | 41 | 08/04/1998 |
| 70 | US-6,229,175 | 05/08/2001 | Uchida, Hidetsugu | 257 | 315 | 03/19/1999 |
| 75 | US-6,238,976 | 05/29/2001 | Noble, W. P., et al. | 438 | 259 | 02/27/1998 |
| 75 | US-6,246,606 | 06/12/2001 | Forbes, Leonard , et al. | 365 | 185.03 | 09/02/1999 |
| 770 | US-6,249,020 | 06/19/2001 | Forbes, L., et al. | 257 | 315 | 08/27/1998 |
| 75 | US-6,249,460 | 06/19/2001 | Forbes, L., et al. | 365 | 185.28 | 02/28/2000 |
| TU | US-6,307,775 | 10/23/2001 | Forbes, L., et al. | 365 | 185.01 | 08/27/1998 |
| TU | US-6,323,844 | 11/27/2001 | Yeh, Fu-Kuo, et al. | 345 | 166 | 08/11/1997 |
| עד | US-6,351,411 | 02/26/2002 | Forbes, Leonard, et al. | 365 | 182 | 06/12/2001 |
| TL | US-6,424,001 | 07/23/2002 | Forbes, L., et al. | 257 | 315 | 02/09/2001 |

| | FOREIGN PATENT DOCUMENTS | | | | | |
|--------------------|--------------------------|------------------|---|-------|----------|----------------|
| Examiner Initials* | Foreign Document No | Publication Date | Name of Patentee or Applicant of cited Document | Class | Subclass | T ² |

| | OTHER | R DOCUMENTS NON PATENT LITERATURE DOCUMENTS | |
|-----------------------|-------------------------|---|----|
| Examiner Initials* | Cite No ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | Τ² |
| TO | | AFANAS'EV, V, et al., "Electron energy barriers between (100)Si and ultrathin stacks of SiO2, Al2O3, and ZrO3 and ZrO2 insulators", Applied Physics Letters, 78(20), (2001),pp. 3073-3075 | |
| TB | | ARYA, S., et al., "Conduction Properties of Thin Al2O3 Films", Thin Solid Films, 91, (1982),pp. 363-374 | |
| 70 | | DIPERT, BRIAN, et al., "Flash Memory Goes Mainstream", <u>IEEE Spectrum</u> , 30, (October 1993),pp. 48-52 | |
| 50 | | EIERDAL, L., et al., "Interaction of oxygen with Ni(110) studied by scanning tunneling microscopy", Surface Science, 312, (1994),pp. 31-53 | |
| 20 | | ELDRIDGE, J., et al., "Analysis of Ultrathin Oxide Growth on Indium", <u>Thin Solid</u> Films, 12, (1972),pp. 447-451 | |
| 75 | | ELDRIDGE, J. M., et al., "Growth of Thin PbO Layers on Lead Films", <u>Surface Science</u> , 40, (1973),pp. 512-530 | |
| X | | | |

EXAMINER

DATE CONSIDERED 4/2/03

PTO/SB/08A(10-01)
Approved for use through 10/31/2002. OMB 651-0031
US Patent & Trademark Office; U.S. DEPARTMENT OF COMMERCE

| Substitute for form 1449A/PTO INFORMATION DISCLOSURE | Complete if Known | required to respond to a collection of information unless it contains a valid OMB control number. |
|--|-----------------------|---|
| STATEMENT BY APPLICANT | Application Number | 09/945554 |
| (Use as many sinders as necessary) | Filing Date | August 30, 2001 |
| | First Named Inventor | Forbes, Leonard |
| MAR 1 8 2003 | Group Art Unit | 2826 |
| | Examiner Name | Dickey, Thomas |
| Sheet 3 of 5 | Attorney Docket No: 1 | 303.028US1 |

| Examiner | Cite | R DOCUMENTS NON PATENT LITERATURE DOCUMENTS Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item | T² |
|-----------|------|---|----------|
| Initials* | No 1 | (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | ' |
| _1 | | ELDRIDGE, J., et al., "Measurement of Tunnel Current Density in a Metal- | |
| 75 | | Oxide-Metal System as a Function of Oxide Thickness", Proc. 12th Intern. Conf. | |
| | | on Low Temperature Physics, (1971),pp. 427-428 | |
| בעד | | GREINER, J., "Josephson Tunneling Barriers by rf Sputter Etching in an | |
| TO | | Oxygen Plasma", Journal of Applied Physics, vol. 42, no. 12, (November 1971), | |
| | | pp. 5151-5155 | |
| VY | | GREINER, J., "Oxidation of lead films by rf sputter etching in an oxygen | |
| 77 | | plasma", Journal of Applied Physics, 45(1), (1974),pp . 32-37 | |
| עד | | GRIMBOLT, J., "I. Interaction of Al Films with O2 at Low Pressures", <u>Journal of</u> | |
| 15 | | the Electrochemical Society, 129(10), (1982),pp. 2366-2368 | ļ |
| שד | | GRIMBOLT, J., "II. Oxidation of Al Films", Journal of Electrochem Soc.: Solid- | |
| , | | State Science and Technology, (1982),pp. 2369-2372 | <u> </u> |
| l | | GUNDLACH, K., et al., "Logarithmic Conductivity of Al-Al2O3-Al Tunneling | |
| 70 | | Junctions Produced by Plasma and by Thermal Oxidation", Surface Science, 27, | |
| | | (1971),pp. 125-141 | |
| 75 | | GUO, X., "High Quality Ultra-thin (1.5 nm) TiO2/Si3N4 Gate Dielectric for Deep | |
| 19 | | Sub-micron CMOS Technology", IEDM Technical Digest, (1999),pp. 137-140 | |
| 730 | | HODGES, D. A., et al., Analysis and Design of Digital Integrated Circuits, | |
| 19 | | McGraw-Hill Book Company, 2nd Edition,(1988),394-396 | |
| | | HURYCH, Z., "Influence of Non-Uniform Thickness of Dielectric Layers on | |
| 76 | | Capacitance and Tunnel Currents", Solid-State Electronics, vol. 9, (1966), pp. | |
| | | 967-979 | |
| | | ITOKAWA, H, "Determination of Bandgap and Energy Band Alignment for High- | |
| 70 | | Dielectric-Constant Gate Insulators Using High-Resolution X-ray Photoelectron | |
| | | Spectroscopy", Extended Abstracts of the 1999 International Conference on | |
| | | Solid State Devices and MAterials, (1999),pp. 158-159 | |
| 745 | | KIM, H., "Leakage current and electrical breakdown in metal-organic chemical | |
| 70 | | vapor deposited TiO2 dielectrics on silicon substrates", Applied Phys. Lett., | |
| | | 69(25), (1996),pp. 3860-3862 | <u> </u> |
| TU | | KUBASCHEWSKI, O., et al., Oxidation of Metals and Alloys, Second Edition, | |
| | | Butterworths, London,(1962),pp. 1-3, 5,6, 8-12, 24, 36-39 | ļ |
| 70 | | KUBASCHEWSKI, Ö., et al., Oxidation of Metals and Alloys, Butterworths, | |
| | | London,(1962),pp. 53-63 | <u> </u> |
| TO | | KUKLI, K., "Development of Dielectric Properties of Niobium Oxide, Tantalum | |
| 10 | | Oxide, and Aluminum Oxide Based Nanolayered Materials", <u>Journal of the</u> | |
| | | Electrochemical Society, 148(2), (2001),pp. F35-F41 | <u> </u> |
| 76 | | KWO, J., "Properties of high k gate dielectrics Gd2O3 and Y2O3 for Si", | |
| | | Journal of Applied Physics, 89(7), (2001),pp. 3920-3927 | <u> </u> |
| TO | | LUAN, H., et al., "High Technology Ta2O5 Gate Dielectrics with Tox,eq<10A", | |
| | | IEDM, (1999),pp. 141-144 | i |

EXAMINER DATE CONSIDERED 7/2/03



Substitute for form 1449A/PTO Complete if Known INFORMATION DISCLOSURE **Application Number** 09/945554 STATEMENT BY APPLICANT (Use as many sheets as necessary) August 30, 2001 Filing Date **First Named Inventor** Forbes, Leonard **Group Art Unit** 2826 Dickey, Thomas **Examiner Name** Attorney Docket No: 1303.028US1 Sheet 4 of 5

| Examiner Initials* | Cite No ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), | T² |
|-----------------------|-------------------------|---|-----------|
| | | publisher, city and/or country where published. | + |
| | | MA, Y., "Zirconium Oxide Based Gate Dielectrics with equivalents Oxide | |
| <i>T</i> り | | Thickness of LEss Than 1.0 nm and Performance of Submicron MOSFET using a Nitride Gate Replacement Process", IEDM - Technical Digest, (1999),pp. 149- | |
| | | 152 | |
| | | MARSHALEK, R., et al., "Photoresponse Characteristics of Thin-Film Nickel- | |
| Tto | | Nickel Oxide-Nickel Tunneling Junctions", IEEE Journal of Quantum Electronics, | |
| Th | | QE-19(4), (1983),pp. 749-754 | |
| | | MASUOKA, F., et al., "A 256K Flash EEPROM using Triple Polysilicon | T |
| 10 | | Technology", IEEE International Solid-State Circuits Conference, Digest of | |
| | | <u>Technical Papers.</u> (1985),pp. 168-169 | |
| | | MASUOKA, F., et al., "A New Flash EEPROM Cell using Triple Polysilicon | |
| 16 | | Technology", International Electron Devices Meeting, Technical Digest, San | |
| | | Francisco, CA,(1984),pp. 464-467 | |
| | | MORI, S., et al., "Reliable CVD Inter-Poly Dielectrics for Advanced | |
| TD | | E&EEPROM", Symposium on VSLI Technology, Digest of Technical Papers, | |
| | | (1985),pp. 16-17 | ┸ |
| 40 dx | | MULLER, H., "Electrical and Optical Properties of Sputtered In2O3 Films", | |
| 2 | | Physica Status Solidi, 27(2), (1968),pp.723-731 | _ |
| 4 | | PASHLEY, R., et al., "Flash Memories: the best of two worlds", <u>IEEE Spectrum</u> , | |
| | | (1989),pp. 30-33 | \perp |
| To | | POLLACK, S., et al., "Tunneling Through Gaseous Oxidized Films of Al2O3", | |
| | | Transactions of the Metallurgical Society of AIME, 233, (1965),pp. 497-501 | 1 |
| P | | QI, W, "MOSCAP and MOSFET characteristics using ZrO2 gate dielectric | |
| | | deposited directly on Si", IEDM - Technical Digest, (1999),pp. 145-148 | . |
| 0 | | ROBERTSON, J., "Band offsets of wide-band-gap oxides and implications for | |
| | | future electronic devices", <u>Journal Vac. Sci. Technol. B, 18(3)</u> , (2000),pp. 1785- | |
| | | 1791 | + |
| Tu | | ROBERTSON, J., et al., "Schottky Barrier height of Tantalum oxide, barium | |
| | | strontium titanate, lead titanate, and strontium bismuth tantalate", Applied | |
| | | Physics Letters, vol. 74, no. 8, (02/22/1999),1168-1170 SHI, Y., et al., "Tunneling Leakage Current in Ultrathin (<4 nm) Nitride/Oxide | + |
| 10 | | Stack Dielectrics", IEEE Electron Device Letters, 19(10), (1998),pp. 388-390 | |
| , | ** | SIMMONS, J., "Generalized Formula for the Electric Tunnel Effect between | + |
| 10 | | Similar Electrodes Separated by a Thin Insulating Film", Journal of Applied | 1 |
| | | Physics, 34(6), (1963),pp. 1793-1803 | |
| | | SWALIN, R., "Equilibrium between Phases of Variable Composition", | + |
| TO | | Thermodynamics of Solids, 2nd Edition, (1972),pp. 165-180 | |
| | | SZE, S., Physics of Semiconductor Devices, Second Edition, John Wiley & | \dagger |
| D | | Sons, New York,(1981),pp. 553-556 | |
| <u>></u> | | | † |

EXAMINER .

DATE CONSIDERED

4/21/02

PTO/SB/08A(10-01)
Approved for use through 10/31/2002, 0MB 651-0031
US Patent & Trademark Office, U.S. DEPARTMENT OF COMMERCE
the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number. Substitute for form 1449A/PTO Complete if Known INFORMATION DISCLOSURE **Application Number** 09/945554 STATEMENT BY APPLICANT (Use as many sheets as decessary) August 30, 2001 **Filing Date First Named Inventor** Forbes, Leonard 2826 **Group Art Unit** Dickey, Thomas **Examiner Name** Sheet 5 of 5 Attorney Docket No: 1303.028US1

| | OTHE | R DOCUMENTS NON PATENT LITERATURE DOCUMENTS | |
|-----------------------|-------------------------|---|----|
| Examiner Initials* | Cite No ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T² |
| TV | | YAN, J., et al., "Structural and electrical characterization of TiO2 grown from titanium tetrakis-isopropoxide (TTIP) and TTIP/H2O ambients", <u>Journal Vac. Sci. Technol. B</u> , 14(3), (1996),pp. 1706-1711 | |

EXAMINER

DATE CONSIDERED